

1-D Elastic Collisions

1. What would happen if an object were to have a completely elastic collision with an identical object initially at rest?
2. What would happen if an object were to have a completely elastic collision with an identical object *not* initially at rest?
3. What would happen if a really small object were to collide with a really massive object initially at rest? (i.e. $m_2 \gg m_1$)
4. What would happen if a really massive object were to collide with a really small object at initially at rest? (i.e. $m_2 \ll m_1$)

1-D Elastic Collisions

- Imagine holding a really light object on top of a really massive object, and then dropping both of them at the same time onto the ground. If all the collisions are elastic, and the objects are dropped from a height of h , how high will the little object bounce?
- In the previous question, what should be the ratio of the masses if the bottom mass had no velocity after all the collisions? How high would the little mass bounce?

1-D Elastic Collisions

Answers:

1) $v_{1f} = 0$ & $v_{2f} = v_{1i}$

2) $v_{1f} = v_{2i}$ & $v_{2f} = v_{1i}$

3) $v_{1f} = -v_{1i}$ & $v_{2f} = 0$

4) $v_{1f} = v_{1i}$ & $v_{2f} = 2v_{1i}$

5) $9h$ ($v_{1f} = -3v_{1i}$)

6) $m_2 = 3m_1$ & $4h$