side 1

NAME: _____

1. Derive an expression for the speed of a solid uniform sphere of mass M and radius R after rolling down a hill. The sphere starts from a height h, and the hill has a base angle θ . Does your answer depend on the size of the sphere or the angle of the hill?

2. A yo-yo can be thought of as being two uniform disks, each of radius 5 cm and mass 150 grams. The string is would around a small post of negligible mass and moment of inertia, but radius 1 cm. Starting from rest, the yo-yo falls a distance h and reaches a final speed of 1 m/s. What was h?

Rotation Problems III

- 3. Two wheels are connected by a belt that does not slip. The radius of one wheel (B) is three times the radius of the second (A). What would be the ratio of the rotational inertias I_A/I_B if
 - a. both wheels had the same angular momentum?

A B

b. both wheels had the same rotational kinetic energy?

4. A child of mass 35 kg is sitting on a large rotating disk (100 kg and radius 2 m) in a playground. The disk is rotating at 1 revolution per second, and the child is initially sitting 0.5 meters from the center. The child carefully crawls to the edge of the disk. What is the new rotation rate?

NAME: _____

Rotation Problems III

- 5. You are sitting on a rotating stool with your arms held out. If you pull your arms in, your rotational speed increases.
 - a. Are there any external forces exerted on you during this process? If so, list them.
 - b. Are there any external torques exerted on you during this process? If so, list them.
 - c. What happens to your moment of inertia in this process? Explain.
 - d. Why does your rotational speed increase?
 - e. What happens to your kinetic energy in this process? Explain.

Answers:

1. ; does not depend on angle or size of sphere

2. h = 0.68 m 3. a. $I_A:I_B = 1:3 \text{ b. } I_A:I_B = 1:9$ 4. 0.61 rps